

PRODUCT CATELOGUE DESIGN

www.drix.co.in

Powered by



Intelligence Inside

Smart Multi-function Switch & Socket



Powered by

tuud

Master Smart Switch



- > App Control -Control switches from anywhere with your smart phone. (Smart Life TUYA)
- > Voice Control Works perfectly with Amazon Alexa, Google Home
- > Power statistics-You can check the electricity statistics per switch anytime
- > Timing-Set scheduled/countdown timers to turn on/off at specified time
- > Smart Scene-You can set the switch easily to achieve the desired scene mode
- > Tempered glass panel, easy to clean, non-discoloring, always look as new.
- > With red and blue LED indicator, very distinguished.
- > Control the switch directly, No gateway required.
- > Easy to install, Neutral wire required > Status indication > Memory function
- > Fan speed control >Smart wall socket >Air conditioner > Child lock
- > Turn On/off backlight > USB charger & Type-C > Support RF Remote Control.
- > Apply to incandescent lights, fluorescent lamps, led lamps, water heater, ventilator and motor,etc.

Product Specifications

Dimension : 254*94*39MM

Operating voltage : 110V-240V/50-60HZ

Lamp Max.load : 625W/Gang

Fan Max.load : 625W

Air conditioner Max.load : 20A
Wall socket Max.load : 13A

QC Output : 5V~3A, 9V~2.22A,12V~1.67A EN62368-1

Frequency: Wifi 2.4G or RF 433Mhz(optional)

Certificate : CE / ROHS



- White
- Black
- Grey
- White with Gold Frame
- Black with Gold Frame



Light



Fan



AC



Geyser




www.drix.co.in

2


Standard 8 Gang Smart Switch



Smart 8 Gang Switch



MODEL: DGS08-W/B/G/WG/BG



Product Specifications

Dimension : 147*86*40MM
Operating voltage : 110V-240V/50-60HZ

Rated load : 625W/Gang



Frequency: Wifi or Zigbee 2.4G

- > App Control-Control switches from anywhere with your smart phone. (Smart Life TUYA)
- > Voice Control-Works perfectly with Amazon Alexa, Google Home
- > Power statistics-You can check the electricity statistics per switch anytime
- > Timing-Set scheduled/countdown timers to turn on/off at specified time
- > Smart Scene-You can set the switch easily to achieve the desired scene mode
- > Tempered glass panel, easy to clean, non-discoloring, always look as new.
- > With red and blue LED indicator, very distinguished.
- > Control the switch directly, No gateway required.
- > Easy to install, Neutral wire required
- > Status indication > Memory function > Child lock
- > Turn On /Off backlight > Support RF Remote Control
- > Certificate: CE / ROHS





Smart 4 Gang with Fan Switch Speed Control

MODEL: DGSS04-W/B/G/WG/BG







Product Specifications

Dimension: 147*86*40MM

Operating voltage : 110V-240V/50-60HZ

Rated load : 625W/Gang

Fan load : <600W

Frequency: Wifi 2.4G

Certificate : CE / ROHS

Tuya Intelligence Inside

tบนดั

Intelligence Inside

Smart Wall Socket with PD20W Charger

MODEL: DGPD02-W/B/G/WG/BG





Product Specifications

Dimension: 147*86*38MM

Operating voltage: 110V-240V/50-60HZ

Wall socket load : 16A

Wall Socket Output: 16AMP

QC Output : 5V~3A, 9V~2.22A,12V~1.67A EN62368-1

Frequency: Wifi 2.4G

Certificate: CE / ROHS

Smart 4 Gang Switch with Wall Socket

MODEL: DGPS04-W/B/G/WG/BG



















AC

Freeze

Washing Machine

Geyser

Product Specifications : 147*86*40MM

Operating voltage: 110V-240V/50-60HZ

: 625W/Gang Rated load

Wall socket load : 13A

Frequency : Wifi 2.4G

: CE / ROHS Certificate

Smart Touch Switch

Dimension

MODEL: DGS04-W/B/G/WG/BG



Wall Socket with USB charger

MODEL: DGPD01-W/B/G/WG/BG



Product Specifications

Dimension : 86*86*34MM

Operating voltage: 110V-240V/50-60HZ

: 625W/Gang Rated load

: Wifi 2.4G Frequency

: CE / ROHS Certificate

86*86*39MM Dimension

Operating voltage: 110V-240V/50-60HZ

QC Output 5V~3A, 9V~2.22A,12V~1.67A

Rated load : 13A



Ultra Mini Size DIY Light Switch Module

Compatible with 95% of installation box on market































Group Control

Smart Light Switch Module







MODEL: DR01-W



MODEL: DR02-W



MODEL: DR03-W



MODEL: DR04-W

Main Feature

- > APP Remote Control
- > Hand Free Voice Control
- > Timer, Schedule & Count Down Function
- > 2 Way Control
- > 3 Switch Type for Option

Product Specifications

Product type : 1 Gang/2 Gang/3 Gang/4 Gang WIFI Switch Module

Voltage : AC100-240V 50/60Hz

Operation Frequency: 2.412GHz-2.484GHz

Operation temp. : -10°C + 40°C

Protocol : WIFI IEEE 802.11b/g/n

Operation Range : <100m

Dimension (WxDxH) : 39x39x19 mm

IP Rating : IP20



Max. Load

1 Gang : LED 800W 16A

2 Gang : LED 2x150W/2x5A

3 Gang : LED 3x150W / 3x3.3A

4 Gang: LED 4x150W / 4x2.5A



Stepless Dimming

Dim your lamp brightness from 0% to 100% for different scene sleeping, working, watching movie, party etc.,





MODEL: DRD01-W



MODEL: DRD02-W

Product Specifications

Product type : 1 Gang/2 Gang WIFI Dimming Module

Voltage : AC100-240V 50/60Hz
Operation Frequency : 2.412GHz-2.484GHz

Operation temp. : -10°C + 40°C

Protocol : WIFI IEEE 802.11b/g/n

Operation Range : <100m

Dimension (WxDxH) : 39x39x19.4 mm

IP Rating : IP20




Max. Load

1 Gang : AC230V 150W 2 Gang : AC230V 2x100W

Smart Curtain Switch Module





Curtain Open Percentage Control & Accurate Calibration Function

Accurately control the curtain open percentage via APP & voice control

WODEL. DROOT

Product Specifications

Product type : 1 Gang/2 Gang WIFI Curtain Module

Voltage : AC100-240V 50/60Hz
Operation Frequency : 2.412GHz-2.484GHz

Operation temp. : -10°C + 40°C

Protocol : WIFI IEEE 802.11b/g/n

Operation Range : <100m

Dimension (WxDxH) : 39x39x19.4 mm

IP Rating : IP20

APP



Voice Control



Timing Countdown




Powered by

Group

Smart Garage Door Switch Module







Timer Schedule

You can create schedule according to your personal requirement, and DIY your daily life to the maximum extend.

tuya Intelligence

Product Specifications

Product type : Wifi Garage Door Module Protocol : WIFI IEEE 802.11b/g/n

Voltage : AC100-240V 50/60Hz Operation Range : <100m

Operation Frequency: 2.412GHz-2.484GHz Dimension (WxDxH): 39x39x19.4 mm

Operation temp. : -10°C + 40°C IP Rating : IP20



Smart Power Monitor

Monitor energy consumption in real time





Product Specifications

Product Type : 1 Gang Wi-Fi Energy Monitor Protocol : Wi-Fi IEEE 802.11b/g/n

Voltage : AC 100-240V 50/60HZ IP Rating : IP20

Measuring Range : 0.2-80A/2* (0.2-80A)

Smart IR + RF Remote Control

360° All Direction Strong & Stable Signal



Expanded IR code library cover above 98%
IR device like TV, Air conditioner, STB, Fan and lighting etc



Smart Motion Sensor



Powered by

tuud





1 Year Battery Life



Minimalist Design



Magnetic Type Base



90° wide Detection Angle



Product Specifications

Material : PC

Color : White

Working Voltage : 3V

Operation temp. : -10°C - 55°C

Protocol : WIFI IEEE 802.11b/g/n

Battery Life : More than 1 year (20 times / day)

Installation Method : Wall hanging

Smart Door / Windows Sensor







Tamper Alarm Notice



Ultra Mini Size



Minimalist Design



Smart Scenes Linkage

Product Specifications

Working Voltage : DC 3V (CR2032 battery)

Working Temparature : -10°C + 55°C

Battery Life : More than 1 year (20 times / day)

Main Body : 65mmx26mmx12.7mm

Magnet: 38.8mmx10.9mmx13mm





Smart WiFi IR Handheld Center Control Remote

It supports the control of traditional infrared home appliances such as TV, Air conditioning, Switch, Socket, Lamp, Curtain and other controllable equipment in tuya ecosystem.

Mobile smart screen Ready-to-use home device control center



5 kinds of device control



Support IR Learning



One-click scene linkage



Touch screen and key control



Real-time scene synchronization



Support offline control



28

MODEL: DR-101-B/W



Colour:

Black

White



4 Inch HD Multi Touch LCD Screen

Control all Smart Switches, Smart Socket, Smart Sensor, Smart Light, Smart Curtain Switch etc, as well as smart scene control in one touch.





MODEL: DT6E

- > Alexa Build In Voice Control.
- > Door Bell / Camera Real Time Video Call.
- > EU Standard Smart Home Control Panel.
- > Light Sensor and Distance Detection Wake Up Sensor.
- > 4 Inch Multi Touch LCD Screen.
- > Official Tuya Module Build In.
- > Smart Scene/Switch Setting.
- > Build in Zigbee, Bluetooth and Sig mesh 3 in 1 Multi-Mode Gateway.

Product Specifications

Dimension: 86*86*36.3mm(With Base) & 86*86*10.5mm(Without Base)

Operating voltage: 100-240VAC, 50/60Hz

Wireless protocol : Wi-Fi, Zigbee

Operation temp. : 0~40°C

Working Humidity : 5%~90%RH

10 inch Smart Control Panel





The smart control panel S adopts a 10-inch touch full screen, developed based on the Linux platform, supports the installation of a standard UK bottom box, can seamlessly replace the switch panel, and integrates Zigbee gateway and Alexa voice service at the same time. Interact in various ways to help users quickly and conveniently manage smart devices and scenes at home.

Product Specifications

Dimension : 259×161×37MM

Operating voltage: 110V-240V/50-60HZ

Wireless protocol : Wi-Fi, Bluetooth, Zigbee

Memory Flash : 2GB

Screen size : 10.1-inch

Resolution: 1920×1200dpi











Powered by

Morning

Night

In Home

Out Home









6 Ways to Unlock

3D Face, Fingerprint, APP, Pass Code, Card, Mechanical Key Unlock







- > Face Id, Fingerprint, Passcode, RFID Card, Mechanical keys & Remote App [SmartLife] to Unlock
- > You Can Add Upto 200 Fingerprints, RFID & Passcode.
- 3.5 Inch Display on the Indoor Unit & 1.3 MP Camera on Outdoor Unit
- You can see the Visitor on the Display Monitor of the Indoor Unit through Camera Installed on the Outdoor Unit
- > 5 Heavy Duty Motorized latches
- > Rechargeable Lithium Ion Battery
- > External Micro USB Port for Emergency Power
- > Hijacking Alarm
- > Door Thickness of 38-90mm
- > Privacy Latch for added Convenience
- > Check Past Unlocking Records Through SmartLife App
- > In-Built Bell & Lock Button on the Outdoor Unit with App Notification
- > Open and Close Buttons on Indoor Unit
- You can see the visitor in display through camera which install in front panel of lock
- > Active/Passive Video intercom feature



MODEL: DSL-S61

Grey Rose Gold



5 Ways to Unlock

Fingerprint, APP,Pass Code, Card, Mechanical Key Unlock







Intercom



Glass Door Lock Security System

Fingerprint, APP, Pass Code, Card, Mechanical Key Unlock



MODEL: DSL-C61

- > Material: Zinc alloy and Acrylic keypad
- > Power supply: 4pcs AA alkaline batteries
- > Unlock method: app, code, card, fingerprint passcode
- > Card capacity & Fingerprint capacity: 150pcs
- > Application: wooden door/ Glass door/ aluminium door
- > Glass door thickness requirement: 8-14mm









Electronic Cabinet Lock

Intelligent Card Safe Anti-Thief Locks for Cabinets



MODEL: DSCAB-C61

TTLOCK version

Material: Aluminum alloy

Unlocking way: APP, Fingerprint, Code, Card

Powered by 3pcs AA batteries

Low voltage alarm

Card capacity: 100pcs

USB port for emergency use



Fingerprint



Card



Password



Bluetooth



App



Password



EXPLORE CUTTING EDGE

HOME AUTOMATION TRENDS SHAPPING

- the Next 10 Years. -

Be Part of Our Success!



SMART SWEET HOME





Keep in TOUCH:

- Corporate Office : No: 29, 11th Floor, Xavier Business Center, Ibn Battuta Gate building, Dubai, UAE.
- admin@drix.co.in
- www.drix.co.in

Toll Free Number: 1800 123 7595

DISTRIBUTOR

HEAVEN AUTOMATION PRIVATE LIMITED

• #201, 2nd Floor, Gowrikrishna Residency, 7th Cross East, Thillainagar, Trichy - 620 018.

Sales: 73 73 73 48 73 | Service: 73 73 73 58 73

For Enquiry: 96777 97765 / 73737 30885